


Flag Mount Installation Instructions



BLAIR COMPANIES
ARCHITECTURAL IMAGING
SIGNS • FIXTURES • LIGHTING




PN: 45-02-19
Date: 10/23/18 | Rev #






INSTALLATION INSTRUCTIONS

STEP 1




1) After removing any existing signs, if applicable, lift sign into place using proper rigging techniques

STEP 2




1) If pole is new, mount sign with specified bolts in pre-drilled locations
2) If pole is existing, mount sign with (6) six 1/2" bolts. 2 at top, 2 at middle, 2 at bottom of cabinet.
3) Bolts can be thru-bolted or installed with clearance hole in back of pole. If clearance hole is used, cover with access plate and paint.

STEP 3



1) Remove/Hinge open face to access wiring points
2) Wire main AC power to cabinet. Electrical Service hole may need to be drilled for retro-fit applications.

STEP 4



1) Reinstall/Close face
2) Carefully wipe down face without scratching surface
3) Take completion photos



BLAIR COMPANIES
ARCHITECTURAL IMAGING
SIGNS • FIXTURES • LIGHTING

5107 Kissell Ave.
Altoona, PA 16601

P: 814.949.8287

F: 814.949.8293

blaircompanies.com

PRODUCT INFORMATION

Blank area for product information notes.

